

Absolute normen interuniversitaire voortgangstoets vanaf september 2023

| Meetmoment | Onvoldoende-Voldoende Norm | Voldoende-Goed Norm |
|-------------------|-----------------------------------|----------------------------|
| 1 | -10,38 | 11,72 |
| 2 | -4,01 | 16,50 |
| 3 | 1,61 | 20,79 |
| 4 | 6,56 | 24,64 |
| 5 | 10,93 | 28,09 |
| 6 | 14,78 | 31,18 |
| 7 | 18,18 | 33,95 |
| 8 | 21,17 | 36,44 |
| 9 | 23,82 | 38,67 |
| 10 | 26,15 | 40,67 |
| 11 | 28,20 | 42,46 |
| 12 | 30,02 | 44,06 |
| 13 | 31,62 | 45,50 |
| 14 | 33,03 | 46,79 |
| 15 | 34,27 | 47,95 |
| 16 | 35,37 | 48,99 |
| 17 | 36,34 | 49,92 |
| 18 | 37,19 | 50,75 |
| 19 | 37,94 | 51,50 |
| 20 | 38,61 | 52,17 |
| 21 | 39,19 | 52,77 |
| 22 | 39,71 | 53,31 |
| 23 | 40,17 | 53,80 |
| 24 | 40,57 | 54,23 |